

SAFETY DATA SHEET
(ENSEARCH) FIBRE GLASS HULL CLEANER

Page: 1
Compilation date: 03/07/2014
Revision date: 10.01.19
Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: (ENSEARCH) FIBRE GLASS HULL CLEANER

Product code: HC0994

Synonyms: HC0994 / ENS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: FOR PROFESSIONAL AND INDUSTRIAL USE ONLY. PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: ENSEARCH UK LTD

41 Woodhall Rise

Werrington

PETERBOROUGH

Cambridgeshire

PE4 5BU

United Kingdom

Tel: +44(0)1733 572 496

Email: sales@ensearch.co.uk

1.4. Emergency telephone number

Emergency tel: +44(0)7736 434 234

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1B: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P102: Keep out of reach of children.

[cont...]

SAFETY DATA SHEET
(ENSEARCH) FIBRE GLASS HULL CLEANER

Page: 2

P260: Do not breathe spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Haz. ingredients (label): Contains:

ORTHOPHOSPHORIC ACID

SULPHAMIC ACID

CITRIC ACID

PRIMARY ALCOHOL ETHOXYLATE

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ORTHOPHOSPHORIC ACID - REACH registered number(s): 01-2119485924-24-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-633-2	7664-38-2	-	Skin Corr. 1B: H314	10-30%

PRIMARY ALCOHOL ETHOXYLATE CD916 - REACH registered number(s): 01-2119980051-45-XXXX

-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
---	------------	---	--------------------------------------	-------

SULPHAMIC ACID - REACH registered number(s): 01-2119488633-28-XXXX

226-218-8	5329-14-6	-	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Aquatic Chronic 3: H412	1-10%
-----------	-----------	---	--	-------

(2-METHOXY METHYL ETHOXY) PROPANOL - REACH registered number(s): 01-2119450011-60-XXXX

252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	1-10%
-----------	------------	--	---	-------

1-HYDROXY ETHANE-1,1-DIPHOSPHONIC ACID - REACH registered number(s): 01-2119510391-53-XXXX

220-552-8	2809-21-4	-	Met. Corr. 1: H290; Eye Dam. 1: H318; Acute Tox. 4: H302	<1%
-----------	-----------	---	--	-----

[cont...]

SAFETY DATA SHEET
(ENSEARCH) FIBRE GLASS HULL CLEANER

Page: 3

Non-classified ingredients:

CITRIC ACID ANHYDROUS POWDER - REACH registered number(s): 01-211-9457026-42-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
201-069-1	77-92-9	-	-	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

SAFETY DATA SHEET
(ENSEARCH) FIBRE GLASS HULL CLEANER

Page: 4

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ORTHOPHOSPHORIC ACID...100%

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1 mg/m ³	2 mg/m ³	-	-

[cont...]

SAFETY DATA SHEET
(ENSEARCH) FIBRE GLASS HULL CLEANER

Page: 5

(2-METHOXY METHYL ETHOXY) PROPANOL

UK	308mg/m3(50ppm)	-	-	-
----	-----------------	---	---	---

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Perceptible odour

Evaporation rate: Slow

Solubility in water: Highly soluble

Viscosity: Viscous

Boiling point/range°C: 75 - 100

Melting point/range°C: minus 5

Flammability limits %: lower: Not applicable.

upper: Not applicable.

Flash point°C: Not applicable.

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: Not applicable.

Vapour pressure: Not applicable.

Relative density: 1.140

pH: 2.0 - 2.5

VOC g/l: No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

[cont...]

SAFETY DATA SHEET
(ENSEARCH) FIBRE GLASS HULL CLEANER

Page: 6

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong bases. Strong reducing agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ORTHOPHOSPHORIC ACID...100%

ORL	RAT	LD50	1530	mg/kg
-----	-----	------	------	-------

PRIMARY ALCOHOL ETHOXYLATE CD916

IHL	RAT	LC50	>5	mg/l
ORL	RAT	LD50	200-2000	mg/kg
SKN	RAT	LD50	>2000	mg/kg

SULPHAMIC ACID

ORAL	RAT	LD50	3160	mg/kg
------	-----	------	------	-------

(2-METHOXY METHYL ETHOXY) PROPANOL

ORL	RAT	LD50	6.6	g/kg
-----	-----	------	-----	------

1-HYDROXY ETHANE-1,1-DIPHOSPHONIC ACID

ORL	RAT	LD50	2400	mg/Kg
-----	-----	------	------	-------

Non-classified ingredients:

CITRIC ACID ANHYDROUS POWDER

ORL	MUS	LD50	5040	mg/kg
ORL	RAT	LD50	3	gm/kg
SCU	RAT	LD50	5500	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated

[cont...]

SAFETY DATA SHEET
(ENSEARCH) FIBRE GLASS HULL CLEANER

Page: 7

Serious eye damage/irritation	OPT	Hazardous: calculated
-------------------------------	-----	-----------------------

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE CD916

FISH	96H LC50	1-10	mg/l
------	----------	------	------

SULPHAMIC ACID

FISH	96H LC50	70.3	mg/l
------	----------	------	------

(2-METHOXY METHYL ETHOXY) PROPANOL

BLUEGILLS	96H LC50	>1000	mg/l
-----------	----------	-------	------

1-HYDROXY ETHANE-1,1-DIPHOSPHONIC ACID

RAINBOW TROUT (Oncorhynchus mykiss)	48H EC50	878	mg/l
Oncorhynchus mykiss	96H LC50	300	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Volatile. Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

[cont...]

SAFETY DATA SHEET
(ENSEARCH) FIBRE GLASS HULL CLEANER

Page: 8

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Recovery operations: Not applicable.

Waste code number: 20 01 14

Disposal of packaging: Dispose of as normal industrial waste. Clean with water.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1760

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, NOS,
(ORTHOPHOSPHORIC ACID)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

[cont...]

SAFETY DATA SHEET
(ENSEARCH) FIBRE GLASS HULL CLEANER

Page: 9

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

Product requires CRC (child resistant closure) and TDW (tactile danger warning) for retail sale to the general public.

Detergent Regulations EC648/2004, the product contains amongst other ingredients:-

Phosphonates <5%

Anionic surfactants <5%

IMPORTANT NOTE:

Risk phrases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed product.

See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.

Phrases used in s.2 and s.3: H290: May be corrosive to metals.
H302: Harmful if swallowed.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H412: Harmful to aquatic life with long lasting effects.

Legend to abbreviations: PNEC = predicted no effect concentration

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

LDLO = lethal dose low

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

[cont...]

SAFETY DATA SHEET
(ENSEARCH) FIBRE GLASS HULL CLEANER

Page: 10

IPR = intraperitoneal

SCU = subcutaneous

ORL = oral

SKN = skin

DRM = dermal

OCC = ocular/corneal

OPT = optical

ING = ingestion

INH = inhalation

PCP = physico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. For professional and industrial use only.